



## PRODUCT CERTIFICATE OF CONFORMITY

**Certificate Number : IKRAM 03114MN**

*Certificate Holder*

**KANZEN TETSU SDN. BHD.**

**Lot 5823, Mukim Sentul, Kawasan Industry Nilai  
71800 Nilai, Negeri Sembilan Darul Khusus, Malaysia**

*Product Name*

**Welded Stainless Steel Pipes**

*Standard*

**ASTM A312/A312M - 25**

*Product Description*

**Product descriptions shall refer to ANNEX**

*Brands*

KANZEN TETSU

*Manufacturer*

**KANZEN TETSU SDN. BHD.**

**Lot 5823, Mukim Sentul, Kawasan Industry Nilai  
71800 Nilai, Negeri Sembilan Darul Khusus, Malaysia**

*Date of Original Issue*

**25.08.2014**

*Date of Renewal*

**16.04.2026**

*Date of Amendment*

**16.04.2026**

*Expiry Date*

**30.06.2027**



**MOHAMAD AKHIR BIN ABDULLAH**  
Director

**DATO' Ir. Ts. HAJI MOHD TAUFIK BIN HARON**  
Chairman



This certificate remains the property of IKRAM QA SERVICES SDN. BHD. and shall be returned on request.  
IKRAM QA Services Sdn. Bhd. (199901004665)  
Address: Block 7, Unipark Suria, Jalan Ikram – Uniten, 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 7, Unipark Suria, Jalan Ikram–Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my  
 Website: www.ikramqa.com.my

# ANNEX

**Certificate Number : IKRAM 03114MN**



**Certificate Holder : KANZEN TETSU SDN. BHD.**

<i>Date of Original Issue</i>	<i>Date of Renewal</i>	<i>Date of Amendment</i>	<i>Expiry Date</i>
25.08.2014	16.04.2026	16.04.2026	30.06.2027

- Model** : -
- Rating** : -
- Type** : -
- Size** : Outside Diameter (mm) : 21.34, NPS Designator : ½, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S
- Material** : Grade : TP304, TP304L, TP316, TP316L
  
- Model** : -
- Rating** : -
- Type** : -
- Size** : Outside Diameter (mm) : 26.67, NPS Designator : ¾, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S
- Material** : Grade : TP304, TP304L, TP316, TP316L
  
- Model** : -
- Rating** : -
- Type** : -
- Size** : Outside Diameter (mm) : 33.40, NPS Designator : 1, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S
- Material** : Grade : TP304, TP304L, TP316, TP316L
  
- Model** : -
- Rating** : -
- Type** : -
- Size** : Outside Diameter (mm) : 42.16, NPS Designator : 1 ¼, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S
- Material** : Grade : TP304, TP304L, TP316, TP316L
  
- Model** : -
- Rating** : -
- Type** : -
- Size** : Outside Diameter (mm) : 48.26, NPS Designator : 1 ½, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S
- Material** : Grade : TP304, TP304L, TP316, TP316L
  
- Model** : -
- Rating** : -
- Type** : -



IKRAM QA Services Sdn. Bhd. (199901004665)  
Address: Block 7, Unipark Suria, Jalan Ikram–Uniten,  
43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254  
Email: ikramqa@ikram.com.my  
Website: www.ikramqa.com.my

## ANNEX

**Certificate Number : IKRAM 03114MN**



**Certificate Holder : KANZEN TETSU SDN. BHD.**

*Date of Original Issue*  
25.08.2014

*Date of Renewal*  
16.04.2026

*Date of Amendment*  
16.04.2026

*Expiry Date*  
30.06.2027

**Size** : Outside Diameter (mm) : 60.33, NPS Designator : 2, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S

**Material** : Grade : TP304, TP304L, TP316, TP316L

**Model** : -  
**Rating** : -  
**Type** : -

**Size** : Outside Diameter (mm) : 73.03, NPS Designator : 2 ½, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S

**Material** : Grade : TP304, TP304L, TP316, TP316L

**Model** : -  
**Rating** : -  
**Type** : -

**Size** : Outside Diameter (mm) : 88.90, NPS Designator : 3, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S

**Material** : Grade : TP304, TP304L, TP316, TP316L

**Model** : -  
**Rating** : -  
**Type** : -

**Size** : Outside Diameter (mm) : 101.60, NPS Designator : 3 ½, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S

**Material** : Grade : TP304, TP304L, TP316, TP316L

**Model** : -  
**Rating** : -  
**Type** : -

**Size** : Outside Diameter (mm) : 114.30, NPS Designator : 4, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S

**Material** : Grade : TP304, TP304L, TP316, TP316L

**Model** : -  
**Rating** : -  
**Type** : -

**Size** : Size : Outside Diameter (mm) : 141.30, NPS Designator : 5, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S

**Material** : Grade : TP304, TP304L, TP316, TP316L



IKRAM QA Services Sdn. Bhd. (199901004665)  
Address: Block 7, Unipark Suria, Jalan Ikram–Uniten,  
43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254  
Email: ikramqa@ikram.com.my  
Website: www.ikramqa.com.my

## ANNEX

**Certificate Number : IKRAM 03114MN**



**Certificate Holder : KANZEN TETSU SDN. BHD.**

*Date of Original Issue*  
25.08.2014

*Date of Renewal*  
16.04.2026

*Date of Amendment*  
16.04.2026

*Expiry Date*  
30.06.2027

**Model** : -  
**Rating** : -  
**Type** : -  
**Size** : Outside Diameter (mm) : 168.28, NPS Designator : 6, Nominal Wall Thickness : Schedule 10S, Schedule 40S  
**Material** : Grade : TP304, TP304L, TP316, TP316L

**Model** : -  
**Rating** : -  
**Type** : -  
**Size** : Outside Diameter (mm) : 219.08, NPS Designator : 8, Nominal Wall Thickness : Schedule 10S, Schedule 40S  
**Material** : Grade : TP304, TP304L, TP316, TP316L

**Model** : -  
**Rating** : -  
**Type** : -  
**Size** : Outside Diameter (mm) : 273.05, NPS Designator : 10, Nominal Wall Thickness : Schedule 10S, Schedule 40S  
**Material** : Grade : TP304, TP304L, TP316, TP316L

**Model** : -  
**Rating** : -  
**Type** : -  
**Size** : Outside Diameter (mm) : 323.85, NPS Designator : 12, Nominal Wall Thickness : Schedule 10S, Schedule 40S  
**Material** : Grade : TP304, TP304L, TP316, TP316L



IKRAM QA Services Sdn. Bhd. (199901004665)  
Address: Block 7, Unipark Suria, Jalan Ikram–Uniten,  
43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254  
Email: ikramqa@ikram.com.my  
Website: www.ikramqa.com.my

## ANNEX



**Certificate Number : IKRAM 03114MN**

**Certificate Holder : KANZEN TETSU SDN. BHD.**

<i>Date of Original Issue</i>	<i>Date of Renewal</i>	<i>Date of Amendment</i>	<i>Expiry Date</i>
25.08.2014	16.04.2026	16.04.2026	30.06.2027

### **Certificate Descriptions :**

1. IKRAM QA Services Sdn. Bhd. is certification body operating according to ISO/IEC 17065 : 2012.
2. This certificate has been approved and issued in compliance with **IKRAM QA Scheme 1**.
3. IKRAM QA Scheme 1 is product certification scheme owned by IKRAM QA which using certification scheme Type 5.
4. It is hereby certified that the product as detailed in this certificate has satisfactorily complied with the requirement of the appropriate Product Standard(s).
5. Certification mark for IKRAM QA Scheme 1 is **K-Mark**.

### **Certificate Information :**

Product Code : E0103

Old Certificate Number : IKRAM-N037-E0103-N3114

1. P1 – The factory moved to a new location from its original location at Lot 4, Persiaran Perusahaan, Seksyen 23, 40708 Shah Alam, Selangor. (Old Certificate Number : IKRAM-B009-E0103-N6397, date of original issue 30.10.1997 and update product standard version 2013.
2. P2 – KPS 119/16 (19.09.2016) – Update product descriptions.
3. P3 – KPS 172/16 (28.10.2016) – Update product standard and brand.
4. P4 – KM 12/12 (14.11.2012) – amendment of certificate expiry date from month of September to June on 11.05.2017.
5. P5 – KPS 54/18 (08.05.2018) – Update product standard.
6. P6 – KPS 39/21 (21.05.2021) – Update product standard.
7. P7 – KPS 23/26 (16.04.2026) - Update product standard



## PRODUCT CERTIFICATE OF CONFORMITY

**Certificate Number : IKRAM 00220MN**

*Certificate Holder*

**KANZEN TETSU SDN. BHD.**

**Lot 5823, Mukim Sentul, Kawasan Industry Nilai  
71800 Nilai, Negeri Sembilan Darul Khusus, Malaysia**

*Product Name*

**Welded Stainless Steel Pipes**

*Standard*

**MS 1841 : 2010**

*Product Description*

**Product descriptions shall refer to ANNEX**

*Brands*

KANZEN TETSU

*Manufacturer*

**KANZEN TETSU SDN. BHD.**

**Lot 5823, Mukim Sentul, Kawasan Industry Nilai  
71800 Nilai, Negeri Sembilan Darul Khusus, Malaysia**

*Date of Original Issue*

**01.06.2020**

*Date of Renewal*

**16.04.2026**

*Date of Amendment*

**NIL**

*Expiry Date*

**30.06.2027**



**MOHAMAD AKHIR BIN ABDULLAH**  
Director

**DATO' Ir. Ts. HAJI MOHD TAUFIK BIN HARON**  
Chairman



This certificate remains the property of IKRAM QA SERVICES SDN. BHD. and shall be returned on request.  
IKRAM QA Services Sdn. Bhd. (199901004665)  
Address: Block 7, Unipark Suria, Jalan Ikram – Uniten, 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 7, Unipark Suria, Jalan Ikram–Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my  
 Website: www.ikramqa.com.my

## ANNEX

**Certificate Number : IKRAM 00220MN**



**Certificate Holder : KANZEN TETSU SDN. BHD.**

*Date of Original Issue*  
01.06.2020

*Date of Renewal*  
16.04.2026

*Date of Amendment*  
NIL

*Expiry Date*  
30.06.2027

<b>Model</b>	: -
<b>Rating</b>	: -
<b>Type</b>	: -
<b>Size</b>	: Outside Diameter (mm) : 21.34, NPS Designator : ½, Nominal Wall Thickness : Schedule 10S, Schedule 40S
<b>Material</b>	: Grade : TP304, TP304L, TP316, TP316L
<b>Model</b>	: -
<b>Rating</b>	: -
<b>Type</b>	: -
<b>Size</b>	: Outside Diameter (mm) : 26.67, NPS Designator : ¾, Nominal Wall Thickness : Schedule 10S, Schedule 40S
<b>Material</b>	: Grade : TP304, TP304L, TP316, TP316L
<b>Model</b>	: -
<b>Rating</b>	: -
<b>Type</b>	: -
<b>Size</b>	: Outside Diameter (mm) : 33.40, NPS Designator : 1, Nominal Wall Thickness : Schedule 10S, Schedule 40S
<b>Material</b>	: Grade : TP304, TP304L, TP316, TP316L
<b>Model</b>	: -
<b>Rating</b>	: -
<b>Type</b>	: -
<b>Size</b>	: Outside Diameter (mm) : 42.16, NPS Designator : 1 ¼, Nominal Wall Thickness : Schedule 10S, Schedule 40S
<b>Material</b>	: Grade : TP304, TP304L, TP316, TP316L
<b>Model</b>	: -
<b>Rating</b>	: -
<b>Type</b>	: -
<b>Size</b>	: Outside Diameter (mm) : 48.26, NPS Designator : 1 ½, Nominal Wall Thickness : Schedule 10S, Schedule 40S
<b>Material</b>	: Grade : TP304, TP304L, TP316, TP316L
<b>Model</b>	: -
<b>Rating</b>	: -
<b>Type</b>	: -



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 7, Unipark Suria, Jalan Ikram–Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my  
 Website: www.ikramqa.com.my

## ANNEX

**Certificate Number : IKRAM 00220MN**



**Certificate Holder : KANZEN TETSU SDN. BHD.**

<i>Date of Original Issue</i>	<i>Date of Renewal</i>	<i>Date of Amendment</i>	<i>Expiry Date</i>
01.06.2020	16.04.2026	NIL	30.06.2027

- Size** : Outside Diameter (mm) : 60.33, NPS Designator : 2, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S
- Material** : Grade : TP304, TP304L, TP316, TP316L
- Model** : -
- Rating** : -
- Type** : -
- Size** : Outside Diameter (mm) : 73.03, NPS Designator : 2 ½, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S
- Material** : Grade : TP304, TP304L, TP316, TP316L
- Model** : -
- Rating** : -
- Type** : -
- Size** : Outside Diameter (mm) : 88.90, NPS Designator : 3, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S
- Material** : Grade : TP304, TP304L, TP316, TP316L
- Model** : -
- Rating** : -
- Type** : -
- Size** : Outside Diameter (mm) : 101.60, NPS Designator : 3 ½, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S
- Material** : Grade : TP304, TP304L, TP316, TP316L
- Model** : -
- Rating** : -
- Type** : -
- Size** : Outside Diameter (mm) : 114.30, NPS Designator : 4, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S
- Material** : Grade : TP304, TP304L, TP316, TP316L
- Model** : -
- Rating** : -
- Type** : -
- Size** : Outside Diameter (mm) : 141.30, NPS Designator : 5, Nominal Wall  
Thickness : Schedule 10S, Schedule 40S
- Material** : Grade : TP304, TP304L, TP316, TP316L



IKRAM QA Services Sdn. Bhd. (199901004665)  
 Address: Block 7, Unipark Suria, Jalan Ikram–Uniten,  
 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
 Tel: +603 8738 3212 Fax: +603 8736 7254  
 Email: ikramqa@ikram.com.my  
 Website: www.ikramqa.com.my

## ANNEX

**Certificate Number : IKRAM 00220MN**



**Certificate Holder : KANZEN TETSU SDN. BHD.**

*Date of Original Issue*  
01.06.2020

*Date of Renewal*  
16.04.2026

*Date of Amendment*  
NIL

*Expiry Date*  
30.06.2027

- Model** : -
- Rating** : -
- Type** : -
- Size** : Outside Diameter (mm) : 168.28, NPS Designator : 6, Nominal Wall Thickness : Schedule 10S, Schedule 40S
- Material** : Grade : TP304, TP304L, TP316, TP316L
  
- Model** : -
- Rating** : -
- Type** : -
- Size** : Outside Diameter (mm) : 219.08, NPS Designator : 8, Nominal Wall Thickness : Schedule 10S, Schedule 40S
- Material** : Grade : TP304, TP304L, TP316, TP316L
  
- Model** : -
- Rating** : -
- Type** : -
- Size** : Outside Diameter (mm) : 273.05, NPS Designator : 10, Nominal Wall Thickness : Schedule 10S, Schedule 40S
- Material** : Grade : TP304, TP304L, TP316, TP316L
  
- Model** : -
- Rating** : -
- Type** : -
- Size** : Outside Diameter (mm) : 323.85, NPS Designator : 12, Nominal Wall Thickness : Schedule 10S, Schedule 40S
- Material** : Grade : TP304, TP304L, TP316, TP316L



IKRAM QA Services Sdn. Bhd. (199901004665)  
Address: Block 7, Unipark Suria, Jalan Ikram–Uniten,  
43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254  
Email: ikramqa@ikram.com.my  
Website: www.ikramqa.com.my

## ANNEX



**Certificate Number : IKRAM 00220MN**

**Certificate Holder : KANZEN TETSU SDN. BHD.**

*Date of Original Issue*  
01.06.2020

*Date of Renewal*  
16.04.2026

*Date of Amendment*  
NIL

*Expiry Date*  
30.06.2027

### **Certificate Descriptions :**

1. IKRAM QA Services Sdn. Bhd. is accredited by Department of Standards Malaysia (Standards Malaysia) according to ISO/IEC 17065 : 2012 for certification of products with certificate number ACB 013.
2. This certificate has been approved and issued in compliance with **IKRAM QA Scheme 1**.
3. IKRAM QA Scheme 1 is product certification scheme owned by IKRAM QA which using certification scheme Type 5.
4. It is hereby certified that the product as detailed in this certificate has satisfactorily complied with the requirement of the appropriate Product Standard(s).
5. Certification mark for IKRAM QA Scheme 1 is **K-Mark**.

### **Certificate Information :**

Product Code : E0103



## PRODUCT CERTIFICATE OF CONFORMITY

**Certificate Number : IKRAM 00716MB**

*Certificate Holder*

**KANZEN TETSU SDN. BHD.**

**No. 6109, Jalan Haji Salleh, Off Jalan Meru, 5 1/2 Miles  
41050 Klang, Selangor Darul Ehsan, Malaysia**

*Product Name*

**Welded Stainless Steel Mechanical Tubing**

*Standard*

**ASTM A554 - 21**

*Product Description*

**Product descriptions shall refer to ANNEX**

*Brands*

KANZEN TETSU

*Manufacturer*

**KANZEN TETSU SDN. BHD.**

**No. 6109, Jalan Haji Salleh, Off Jalan Meru, 5 1/2 Miles  
41050 Klang, Selangor Darul Ehsan, Malaysia**

*Date of Original Issue*

**18.05.2016**

*Date of Renewal*

**16.04.2026**

*Date of Amendment*

**16.04.2026**

*Expiry Date*

**30.06.2027**



**MOHAMAD AKHIR BIN ABDULLAH**  
Director

**DATO' Ir. Ts. HAJI MOHD TAUFIK BIN HARON**  
Chairman



This certificate remains the property of IKRAM QA SERVICES SDN. BHD. and shall be returned on request.  
IKRAM QA Services Sdn. Bhd. (199901004665)  
Address: Block 7, Unipark Suria, Jalan Ikram – Uniten, 43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254 Email: ikramqa@ikram.com.my Website: www.ikramqa.com.my



IKRAM QA Services Sdn. Bhd. (199901004665)  
Address: Block 7, Unipark Suria, Jalan Ikram–Uniten,  
43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254  
Email: ikramqa@ikram.com.my  
Website: www.ikramqa.com.my

## ANNEX

**Certificate Number : IKRAM 00716MB**



**Certificate Holder : KANZEN TETSU SDN. BHD.**

*Date of Original Issue*  
18.05.2016

*Date of Renewal*  
16.04.2026

*Date of Amendment*  
16.04.2026

*Expiry Date*  
30.06.2027

**Model** : Tube Shape : Round  
**Rating** : -  
**Type** : -  
**Size** : Outside Dimension :  $\frac{3}{8}$  in. to 4 in. (9.5mm to 101.6mm), Thickness : 0.039 in. to 0.118 in. (1.0mm to 3mm)  
**Material** : Type : Welded Austenitic Stainless Steel, Grade : MT- 304, MT- 304L

**Model** : Tube Shape : Square  
**Rating** : -  
**Type** : -  
**Size** : Outside Dimension :  $\frac{1}{2}$  in. x  $\frac{1}{2}$  in. to 2 in. x 2 in. (12.7mm x 12.7mm to 50.8mm x 50.8mm), Thickness : 0.039 in. to 0.118 in. (1.0mm to 3mm)  
**Material** : Type : Welded Austenitic Stainless Steel, Grade : MT- 304, MT- 304L

**Model** : Tube Shape : Rectangular  
**Rating** : -  
**Type** : -  
**Size** : Outside Dimension :  $\frac{1}{2}$  in. x 1 in. to 1 in. x 2 in. (12.7mm x 25.4mm to 25.4mm x 50.8mm), Thickness : 0.039 in. to 0.118 in. (1.0mm to 3mm)  
**Material** : Type : Welded Austenitic Stainless Steel, Grade : MT- 304, MT- 304L

**Model** : Tube Shape : Round  
**Rating** : -  
**Type** : -  
**Size** : Outside Dimension :  $\frac{3}{8}$  in. to 4 in. (9.5mm to 101.6mm), Thickness : 0.039 in. to 0.118 in. (1.0mm to 3mm)  
**Material** : Type : Welded Austenitic Stainless Steel, Grade : MT- 316 , MT- 316L

**Model** : Tube Shape : Square  
**Rating** : -  
**Type** : -  
**Size** : Outside Dimension : 1 in. x 1 in. to 2 in. x 2 in. (25.4mm x 25.4mm to 50.8mm x 50.8mm), Thickness : 0.039 in. to 0.118 in. (1.0mm to 3mm)  
**Material** : Type : Welded Austenitic Stainless Steel, Grade : MT- 316 , MT- 316L



IKRAM QA Services Sdn. Bhd. (199901004665)  
Address: Block 7, Unipark Suria, Jalan Ikram–Uniten,  
43000 Kajang, Selangor Darul Ehsan, Malaysia.  
Tel: +603 8738 3212 Fax: +603 8736 7254  
Email: ikramqa@ikram.com.my  
Website: www.ikramqa.com.my

## ANNEX



**Certificate Number : IKRAM 00716MB**

**Certificate Holder : KANZEN TETSU SDN. BHD.**

*Date of Original Issue*  
18.05.2016

*Date of Renewal*  
16.04.2026

*Date of Amendment*  
16.04.2026

*Expiry Date*  
30.06.2027

**Certificate Descriptions :**

1. IKRAM QA Services Sdn. Bhd. is certification body operating according to ISO/IEC 17065 : 2012.
2. This certificate has been approved and issued in compliance with **IKRAM QA Scheme 1**.
3. IKRAM QA Scheme 1 is product certification scheme owned by IKRAM QA which using certification scheme Type 5.
4. It is hereby certified that the product as detailed in this certificate has satisfactorily complied with the requirement of the appropriate Product Standard(s).
5. Certification mark for IKRAM QA Scheme 1 is **K-Mark**.

**Certificate Information :**

Product Code : E0103

Old Certificate Number : IKRAM-B267-E0103-N0716

1. P1 - KPS 56/18 (08.05.2018) – Update product standard.
2. P2 – KPS 22/26 (16.04.2026) – Update product standard.